

List of Authors

A

- Allan, J. E., Maude, J. J., Jason, R. J. and Ebner, W.—“Compact Bell-less Top Installation and Start-Up on C-6 Blast Furnace at LTV Cleveland Works,” Jan., p 52
- Amin, P., McGinnity, M. A., Doan, R. and Mancuso, J. R.—“Gear Spindles for Compact Hot Strip Mills,” June, p 38
- Ammerling, J.—“Features and Results of the Latest 3-roll Reducing and Sizing Block Generation,” March, p 41
- Angerer, R., Wirthl, E., König, W. T. and Kraml, G.—“New Quick and Nondestructive Method for Measuring the Amount of Iron Fines on Cold Rolled Low-Carbon Steel,” Nov./Dec., p 40
- Ashley, G. W., Coulter, G. L., Husher, K. and Tucker, T. L.—“Major Coke-Oven Repairs with Throughwall Replacements at U. S. Steel,” Jan., p 29

B

- Bacigalupo, C., Gallandt, C., Vucetich, L. W., Ghelardi, G. and Bordignon, P.—“New IGCT Neutral-Point-Clamped Adjustable Speed Drives for High Power and Medium Voltage Industrial Applications,” July/Aug., p 56
- Barnie, I., Muir, G. and Sanderse, M.—“Maintaining Product Quality Across a Bar and Tube Cooling Bed,” March, p 34
- Bennett, J. P., Kwong, K.-S., Krabbe, R., Singh, J. P., Skaar, E. C., Wiskochil, D., Karr, C. L. and Wilson, E.—“An Overview of the U.S. Dept. of Energy Program to Recycle/Reuse Spent EAF Refractories,” Sept., p 41
- Bermel, C. L., Martocci, A. P., Jensen, J. L. and Riley, M. F.—“Evaluation of a Low-NOx Oxy-Fuel Burner,” April, p 41
- Bilkhu, T. S.—“Dynamic Control of Tension, Thickness and Flatness for a Tandem Cold Mill,” Oct., p 49
- Blumenschein, C. D., Severing, K. W. and Boyle, E.—“Walnut Shell Filtration for Oil and Solids Removal from Steel Mill Recycle Systems,” April, p 33
- Bobos, R. E., Dobrodt, D. E., Schlotman, R. C. and Hathaway, W. R.—“Continuous Dumping of the H-4 Dustcatcher at LTV Steel, Indiana Harbor Works,” Sept., p 37
- Bock, M., Riedinger D. and Luckhoff, J. G.—“TopArc System—EAF Process Observer,” May, p 33
- Bonelo, J. M., Vizoso, J., Tsugeno, M., Gallardo, R. M., Sato, S. and Yamaguchi, N.—“New Process Control System for the Sendzimir Reversing Cold Mill of Acerinox,” Nov./Dec., p 45
- Borda, M., Klempnow, A., Piñeyro, J. and Ubici, E.—“Identification and Countermeasures to Resolve Hot Strip Mill Chatter,” June, p 48
- Bordignon, P., Bacigalupo, C., Gallandt, C., Vucetich, L. W. and Ghelardi, G.—“New IGCT Neutral-Point-Clamped Adjustable Speed Drives for High Power and Medium Voltage Industrial Applications,” July/Aug., p 56
- Borthwick, R. D., Shiraishi, S. Y. and Grewal, B.—“Elimination of BOF Lance Port Fugitive Emissions at Lake Erie Steel,” May, p 30
- Borz, M., Pofel, G. and Tober, R.—“Optical Temperature Measurement of Liquid Hot Metal and Steel,” May, p 41
- Boulton, G. J. and Edwards, W. J.—“The Science of Coil Winding,” Nov./Dec., p 24
- Boyd, B., Winters, W. and Lisiecki, E. R.—“PVDF Headers, Nozzles and Components Increase Picking Line Productivity,” Nov./Dec., p 34
- Boyle, C. A., Olszewski, J. A., DiFiore, N. and Daum, T.—“Installation of Pneumatic Slag Stoppers at U.S. Steel's Edgar Thomson Plant,” May, p 39

- Boyle, E., Blumenschein, C. D. and Severing, K. W.—“Walnut Shell Filtration for Oil and Solids Removal from Steel Mill Recycle Systems,” April, p 33
- Broekhof, N. L. J. M. and Mueller, C. E.—“Impact of Novel Cold Rolling Oil Technologies and Materials on Strip Cleanliness,” Nov./Dec., p 37
- Bui, Q. D.—“Development of a Fan Spray Nozzle for Continuous Caster Secondary Cooling,” May, p 35

C

- Chainer, J.—“Home Steel Home—AK Steel partners with AgION™ to build world's first antimicrobial steel house,” Sept., p 59
- Chaykowski, R. D., Struiksma, O. and Donaldson, R. J.—“Requirements for a 20 Year Campaign at Dofasco's No. 4 Blast Furnace,” Jan., p 58
- Cinkowski, C. and Sewald, K. E.—“80-Inch Hot Strip Mill Level 2 Control System Migration,” Feb., p 33
- Coulter, G. L., Husher, K., Tucker, T. L. and Ashley, G. W.—“Major Coke-Oven Repairs with Throughwall Replacements at U. S. Steel,” Jan., p 29

D

- Daum, T., Boyle, C. A., Olszewski, J. A. and DiFiore, N.—“Installation of Pneumatic Slag Stoppers at U.S. Steel's Edgar Thomson Plant,” May, p 39
- DiFiore, N., Daum, T., Boyle, C. A. and Olszewski, J. A.—“Installation of Pneumatic Slag Stoppers at U.S. Steel's Edgar Thomson Plant,” May, p 39
- DiMicco, Daniel R.—“Pull Together — and Work Harder,” Nov./Dec., p 9
- Doan, R., Mancuso, J. R., Amin, P. and McGinnity, M. A.—“Gear Spindles for Compact Hot Strip Mills,” June, p 38
- Dobrodt, D. E., Schlotman, R. C., Hathaway, W. R. and Bobos, R. E.—“Continuous Dumping of the H-4 Dustcatcher at LTV Steel, Indiana Harbor Works,” Sept., p 37
- Döll, R., Poppe, T., Sörgel, G., Holtheuer, U., Zouhar, G. and Löffler, H.-U.—“Control of Mechanical Properties by Monitoring Microstructure,” June, p 44
- Donaldson, R. J., Chaykowski, R. D. and Struiksma, O.—“Requirements for a 20 Year Campaign at Dofasco's No. 4 Blast Furnace,” Jan., p 58
- Druckenthaner, H., Hoffer, R. S., Stackhouse, B. D., Stohl, K. D. and Schaler, M.—“A New Process Optimization System at Bethlehem Steel's L Furnace,” Feb., p 28
- Dzermejko, A. J., van Laar, R. and van Stein Callenfels, E.—“Integrated Blast Furnace Cooling Systems—Performance, Selection and Applications Criteria,” Jan., p 63

E

- Eaddy, D. C. and Moody, V. A.—“Operating Results of DC Furnace Upgrades,” May, p 26
- Ebner, W., Allan, J. E., Maude, J. J. and Jason, R. J.—“Compact Bell-less Top Installation and Start-Up on C-6 Blast Furnace at LTV Cleveland Works,” Jan., p 52
- Edwards, W. J. and Boulton, G. J.—“The Science of Coil Winding,” Nov./Dec., p 24

F

- Fabris, C., Summers, P. J. and Statham, T. R.—“Sleeveless™ Pinion System for Rolling Applications,” March, p 39
- Fabro, M. and Rains, J.—“New Super-Flexible Structural Mill at SMI Steel—South Carolina,” March, p 29

- Fittipaldo, J. J. and Krynski, D. A.—“Controlling Filamentous Organisms in a Cokemaking Wastewater Treatment Plant,” April, p 27
- Fonner, F. E.—“Developments in the North American Iron and Steel Industry—2000,” Feb., p 21
- Fonner, F. E.—“Ipsco Steel (Alabama) Starts Up Its New 1,250,000 Tons per Year Plate Mill,” Oct., p 26
- Fonner, F. E.—“Nucor Steel—Berkeley Expands Flat Rolled Capacity,” March, p 20
- Fritz, D. M.—“Safety—Nothing Will Ever Matter More,” April, p 20

G

- Gallandt, C., Vucetich, L. W., Ghelardi, G., Bordignon, P. and Bacigalupo, C.—“New IGCT Neutral-Point-Clamped Adjustable Speed Drives for High Power and Medium Voltage Industrial Applications,” July/Aug., p 56
- Gallardo, R. M., Yamaguchi, N., Tsugeno, M., Sato, S., Vizoso, J. and Bonelo, J. M.—“New Process Control System for the Sendzimir Reversing Cold Mill of Acerinox,” Nov./Dec., p 45
- Gerling, R., Louis, T., Schmeiduch, G., Sesselmann, R., Sieber, A. and Lubbe, J.—“Improving AC-EAF Operating Process Efficiency at Stahlwerk Bous with a Hybrid Model,” Oct., p 41
- Ghelardi, G., Bordignon, P., Bacigalupo, C., Gallandt, C. and Vucetich, L. W.—“New IGCT Neutral-Point-Clamped Adjustable Speed Drives for High Power and Medium Voltage Industrial Applications,” July/Aug., p 56
- Gilroy, D. and Goffi, E. D.—“Modular Interlocking Brick System in Wide Use at BHP,” Jan., p 33
- Goffi, E. D. and Gilroy, D.—“Modular Interlocking Brick System in Wide Use at BHP,” Jan., p 33
- Grewal, B., Borthwick, R. D. and Shiraiishi, S. Y.—“Elimination of BOF Lance Port Fugitive Emissions at Lake Erie Steel,” May, p 30

H

- Hathaway, W. R., Bobos, R. E., Dobrodt, D. E. and Schlotman, R. C.—“Continuous Dumping of the H-4 Dustcatcher at LTV Steel, Indiana Harbor Works,” Sept., p 37
- Herrmann, H., Oellinger, H., Schoellhammer, H., Wolf, G. and Mueller, H.—“Conversion of the Donawitz Works to a Compact Steelmaking Plant,” July/Aug., p 51
- Hoffer, R. S., Stackhouse, B. D., Stohl, K. D., Schaler, M. and Druckenthaner, H.—“A New Process Optimization System at Bethlehem Steel’s L Furnace,” Feb., p 28
- Holtheuer, U., Zouhar, G., Löffler, H.-U., Döll, R., Poppe, T. and Sörgel, G.—“Control of Mechanical Properties by Monitoring Microstructure,” June, p 44
- Howah, L.—“Line Scan Cameras in Multiple Sensor Systems,” Feb., p 48
- Husher, K., Tucker, T. L., Ashley, G. W. and Coulter, G. L.—“Major Coke-Oven Repairs with Throughwall Replacements at U. S. Steel,” Jan., p 29
- Hyde, J. B.—“Successful Reline and Start-Up of E Blast Furnace,” Jan., p 36

J

- Jason, R. J., Ebner, W., Allan, J. E. and Maude, J. J.—“Compact Bell-less Top Installation and Start-Up on C-6 Blast Furnace at LTV Cleveland Works,” Jan., p 52
- Jensen, J. L., Riley, M. F., Bermel, C. L. and Martocci, A. P.—“Evaluation of a Low-NOx Oxy-Fuel Burner,” April, p 41

- Juza, P., Lodin, B., Kløvborg-Laustsen, T., Kjaer, A., Weiss, J. and Preissl, H.—“Slab Caster Automation Upgrade at Dansteel, Denmark,” Oct., p 46

K

- Karr, C. L., Wilson, E., Bennett, J. P., Kwong, K.-S., Krabbe, R., Singh, J. P., Skaar, E. C. and Wiskochil, D.—“An Overview of the U.S. Dept. of Energy Program to Recycle/Reuse Spent EAF Refractories,” Sept., p 41
- Kivijarvi, M., Montgomery, C. and Sheets, C. I.—“No. 3 Blast Furnace Control System Modernization,” Feb., p 37
- Kjaer, A., Weiss, J., Preissl, H., Juza, P., Lodin, B. and Kløvborg-Laustsen, T.—“Slab Caster Automation Upgrade at Dansteel, Denmark,” Oct., p 46
- Klempnow, A., Piñeyro, J., Ubici, E. and Borda, M.—“Identification and Countermeasures to Resolve Hot Strip Mill Chatter,” June, p 48
- Kløvborg-Laustsen, T., Kjaer, A., Weiss, J., Preissl, H., Juza, P. and Lodin, B.—“Slab Caster Automation Upgrade at Dansteel, Denmark,” Oct., p 46
- Knauth, J.—“Integrated Strategy for Rolling Mill Electrical Modernization with Minimal Lost Production,” Sept., p 54
- Koch, D. R.—“Complying with OSHA—Use of Personal Protective Equipment in the Iron and Steel Industry,” April, p 48
- König, W. T., Kraml, G., Angerer, R. and Wirthl, E.—“New Quick and Nondestructive Method for Measuring the Amount of Iron Fines on Cold Rolled Low-Carbon Steel,” Nov./Dec., p 40
- Krabbe, R., Singh, J. P., Skaar, E. C., Wiskochil, D., Karr, C. L., Wilson, E., Bennett, J. P. and Kwong, K.-S.—“An Overview of the U.S. Dept. of Energy Program to Recycle/Reuse Spent EAF Refractories,” Sept., p 41
- Kraml, G., Angerer, R., Wirthl, E. and König, W. T.—“New Quick and Nondestructive Method for Measuring the Amount of Iron Fines on Cold Rolled Low-Carbon Steel,” Nov./Dec., p 40
- Krynski, D. A. and Fittipaldo, J. J.—“Controlling Filamentous Organisms in a Cokemaking Wastewater Treatment Plant,” April, p 27
- Kwong, K.-S., Krabbe, R., Singh, J. P., Skaar, E. C., Wiskochil, D., Karr, C. L., Wilson, E. and Bennett, J. P.—“An Overview of the U.S. Dept. of Energy Program to Recycle/Reuse Spent EAF Refractories,” Sept., p 41

L

- Libicki, S. B. and Pye, S.—“Compliance Strategies for Amendments to the EAF New Source Performance Standard,” April, p 38
- Lisiecki, E. R., Boyd, B. and Winters, W.—“PVDF Headers, Nozzles and Components Increase Pickling Line Productivity,” Nov./Dec., p 34
- Lodin, B., Kløvborg-Laustsen, T., Kjaer, A., Weiss, J., Preissl, H. and Juza, P.—“Slab Caster Automation Upgrade at Dansteel, Denmark,” Oct., p 46
- Löffler, H.-U., Döll, R., Poppe, T., Sörgel, G., Holtheuer, U. and Zouhar, G.—“Control of Mechanical Properties by Monitoring Microstructure,” June, p 44
- Louis, T., Schmeiduch, G., Sesselmann, R., Sieber, A., Lubbe, J. and Gerling, R.—“Improving AC-EAF Operating Process Efficiency at Stahlwerk Bous with a Hybrid Model,” Oct., p 41
- Lubbe, J., Gerling, R., Louis, T., Schmeiduch, G., Sesselmann, R. and Sieber, A.—“Improving AC-EAF Operating Process Efficiency at Stahlwerk Bous with a Hybrid Model,” Oct., p 41

Luckhoff, J. G., Bock, M. and Riedinger D.—“TopArc System—EAF Process Observer,” May, p 33

M

Maddalena, F. L. and Shelby Jr., S. E.—“Start-Up and Initial Operations of the New Coke Plant Wastewater Treatment System at U.S. Steel Gary Works,” July/Aug., p 45

Magee Jr., J. J.—“Temperature Control of Bethlehem Steel’s Sparrows Point BOF Hood Cooling Water System,” Oct., p 37

Mancuso, J. R., Amin, P., McGinnity, M. A. and Doan, R.—“Gear Spindles for Compact Hot Strip Mills,” June, p 38

Marino, J. A.—“Introduction of Ceramic Burner Technology in the No. 5 Galvanizing Line at Ispat Inland,” Nov./Dec., p 42

Martocci, A. P., Jensen, J. L., Riley, M. F. and Bermel, C. L.—“Evaluation of a Low-NOx Oxy-Fuel Burner,” April, p 41

Mathur, P. C.—“CoJet™ Technology—Principles and Actual Results from Recent Installations,” May, p 21

Maude, J. J., Jason, R. J., Ebner, W. and Allan, J. E.—“Compact Bell-less Top Installation and Start-Up on C-6 Blast Furnace at LTV Cleveland Works,” Jan., p 52

McGinnity, M. A., Doan, R., Mancuso, J. R. and Amin, P.—“Gear Spindles for Compact Hot Strip Mills,” June, p 38

Mitchell, J. F. and Quinn, K. S.—“Hot Strip Mill Thickness and Profile Measurement,” June, p 35

Modigell, M., Traebert, A. and Monheim, P.—“A Modeling Technique for Metallurgical Processes and Its Applications,” Feb., p 45

Monheim, P., Modigell, M. and Traebert, A.—“A Modeling Technique for Metallurgical Processes and Its Applications,” Feb., p 45

Montgomery, C., Sheets, C. I. and Kivijarvi, M.—“No. 3 Blast Furnace Control System Modernization,” Feb., p 37

Moody, V. A. and Eaddy, D. C.—“Operating Results of DC Furnace Upgrades,” May, p 26

Mueller, C. E. and Broekhof, N. L. J. M.—“Impact of Novel Cold Rolling Oil Technologies and Materials on Strip Cleanliness,” Nov./Dec., p 37

Mueller, H., Herrmann, H., Oellinger, H., Schoellhammer, H. and Wolf, G.—“Conversion of the Donawitz Works to a Compact Steelmaking Plant,” July/Aug., p 51

Muir, G., Sanderse, M. and Barnie, I.—“Maintaining Product Quality Across a Bar and Tube Cooling Bed,” March, p 34

O

Oellinger, H., Schoellhammer, H., Wolf, G., Mueller, H. and Herrmann, H.—“Conversion of the Donawitz Works to a Compact Steelmaking Plant,” July/Aug., p 51

Olszewski, J. A., DiFiore, N., Daum, T. and Boyle, C. A.—“Installation of Pneumatic Slag Stoppers at U.S. Steel’s Edgar Thomson Plant,” May, p 39

P

Piñeyro, J., Ubici, E., Borda, M. and Klempnow, A.—“Identification and Countermeasures to Resolve Hot Strip Mill Chatter,” June, p 48

Poferl, G., Tober, R. and Borz, M.—“Optical Temperature Measurement of Liquid Hot Metal and Steel,” May, p 41

Poppe, T., Sörgel, G., Holtheuer, U., Zouhar, G., Löffler, H.-U. and Döll, R.—“Control of Mechanical Properties by Monitoring Microstructure,” June, p 44

Preissl, H., Juza, P., Lodin, B., Kløvborg-Laustsen, T., Kjaer, A. and Weiss, J.—“Slab Caster Automation Upgrade at Dansteel, Denmark,” Oct., p 46

Pye, S. and Libicki, S. B.—“Compliance Strategies for Amendments to the EAF New Source Performance Standard,” April, p 38

Q

Quinn, K. S. and Mitchell, J. F.—“Hot Strip Mill Thickness and Profile Measurement,” June, p 35

R

Rains, J. and Fabro, M.—“New Super-Flexible Structural Mill at SMI Steel—South Carolina,” March, p 29

Reiter, M., Treiber, F. and Schmalfuss, H.—“In-Line Coil Shape Measurement During Windup,” Oct., p 55

Riedinger D., Luckhoff, J. G. and Bock, M.—“TopArc System—EAF Process Observer,” May, p 33

Riley, M. F., Bermel, C. L., Martocci, A. P. and Jensen, J. L.—“Evaluation of a Low-NOx Oxy-Fuel Burner,” April, p 41

S

Samaras, N. S. and Simaan, M. A.—“Novel Control Structure for Runout Table Coiling Temperature Control,” June, p 55

Sanderse, M., Barnie, I. and Muir, G.—“Maintaining Product Quality Across a Bar and Tube Cooling Bed,” March, p 34

Sato, S., Vizoso, J., Bonelo, J. M., Gallardo, R. M., Yamaguchi, N. and Tsugeno, M.—“New Process Control System for the Sendzimir Reversing Cold Mill of Acerinox,” Nov./Dec., p 45

Schaler, M., Druckenthaner, H., Hoffer, R. S., Stackhouse, B. D. and Stohl, K. D.—“A New Process Optimization System at Bethlehem Steel’s L Furnace,” Feb., p 28

Schlotman, R. C., Hathaway, W. R., Bobos, R. E. and Dobrodt, D. E.—“Continuous Dumping of the H-4 Dustcatcher at LTV Steel, Indiana Harbor Works,” Sept., p 37

Schmalfuss, H., Reiter, M. and Treiber, F.—“In-Line Coil Shape Measurement During Windup,” Oct., p 55

Schmeiduch, G., Sesselmann, R., Sieber, A., Lubbe, J., Gerling, R. and Louis, T.—“Improving AC-EAF Operating Process Efficiency at Stahlwerk Bous with a Hybrid Model,” Oct., p 41

Schoellhammer, H., Wolf, G., Mueller, H., Herrmann, H. and Oellinger, H.—“Conversion of the Donawitz Works to a Compact Steelmaking Plant,” July/Aug., p 51

Sesselmann, R., Sieber, A., Lubbe, J., Gerling, R., Louis, T. and Schmeiduch, G.—“Improving AC-EAF Operating Process Efficiency at Stahlwerk Bous with a Hybrid Model,” Oct., p 41

Severing, K. W., Boyle, E. and Blumenschein, C. D.—“Walnut Shell Filtration for Oil and Solids Removal from Steel Mill Recycle Systems,” April, p 33

Sewald, K. E. and Cinkowski, C.—“80-Inch Hot Strip Mill Level 2 Control System Migration,” Feb., p 33

Sheets, C. I., Kivijarvi, M. and Montgomery, C.—“No. 3 Blast Furnace Control System Modernization,” Feb., p 37

- Shelby Jr., S. E. and Maddalena, F. L.—“Start-Up and Initial Operations of the New Coke Plant Wastewater Treatment System at U.S. Steel Gary Works,” July/Aug., p 45
- Shiraishi, S. Y., Grewal, B. and Borthwick, R. D.—“Elimination of BOF Lance Port Fugitive Emissions at Lake Erie Steel,” May, p 30
- Sieber, A., Lubbe, J., Gerling, R., Louis, T., Schmeiduch, G. and Sesselmann, R.—“Improving AC-EAF Operating Process Efficiency at Stahlwerk Bous with a Hybrid Model,” Oct., p 41
- Simaan, M. A. and Samaras, N. S.—“Novel Control Structure for Runout Table Coiling Temperature Control,” June, p 55
- Singh, J. P., Skaar, E. C., Wiskochil, D., Karr, C. L., Wilson, E., Bennett, J. P., Kwong, K.-S. and Krabbe, R.—“An Overview of the U.S. Dept. of Energy Program to Recycle/Reuse Spent EAF Refractories,” Sept., p 41
- Skaar, E. C., Wiskochil, D., Karr, C. L., Wilson, E., Bennett, J. P., Kwong, K.-S., Krabbe, R. and Singh, J. P.—“An Overview of the U.S. Dept. of Energy Program to Recycle/Reuse Spent EAF Refractories,” Sept., p 41
- Sollander, D. N.—“Results from Looperless Rolling in Profile Mills with Interstand Dimension Control,” March, p 26
- Somplatsky, R. M.—“Descale System Protection and Performance,” June, p 53
- Sörgel, G., Holtheuer, U., Zouhar, G., Löffler, H.-U., Döll, R. and Poppe, T.—“Control of Mechanical Properties by Monitoring Microstructure,” June, p 44
- Stackhouse, B. D., Stohl, K. D., Schaler, M., Druckenthaner, H. and Hoffer, R. S.—“A New Process Optimization System at Bethlehem Steel’s L Furnace,” Feb., p 28
- Stackhouse, B. D., Storm, L. P. and Youmans, C. T.—“Change in Reline Strategy for L Blast Furnace,” Jan., p 46
- Statham, T. R., Fabris, C. and Summers, P. J.—“Sleeveless™ Pinion System for Rolling Applications,” March, p 39
- Stohl, K. D., Schaler, M., Druckenthaner, H., Hoffer, R. S. and Stackhouse, B. D.—“A New Process Optimization System at Bethlehem Steel’s L Furnace,” Feb., p 28
- Storm, L. P., Youmans, C. T. and Stackhouse, B. D.—“Change in Reline Strategy for L Blast Furnace,” Jan., p 46
- Struikma, O., Donaldson, R. J. and Chaykowski, R. D.—“Requirements for a 20 Year Campaign at Dofasco’s No. 4 Blast Furnace,” Jan., p 58
- Summers, P. J., Statham, T. R. and Fabris, C.—“Sleeveless™ Pinion System for Rolling Applications,” March, p 39

T

- Thorla, T. N.—“Installing Metals Industry Power and Control Systems to Minimize EMI,” July/Aug., p 33
- Tober, R., Borz, M. and Pofelr, G.—“Optical Temperature Measurement of Liquid Hot Metal and Steel,” May, p 41
- Traebert, A., Monheim, P. and Modigell, M.—“A Modeling Technique for Metallurgical Processes and Its Applications,” Feb., p 45
- Treiber, F., Schmalfluss, H. and Reiter, M.—“In-Line Coil Shape Measurement During Windup,” Oct., p 55
- Tsugeno, M., Sato, S., Vizoso, J., Bonelo, J. M., Gallardo, R. M. and Yamaguchi, N.—“New Process Control System for the Sendzimir Reversing Cold Mill of Acerinox,” Nov./Dec., p 45
- Tucker, T. L., Ashley, G. W., Coulter, G. L. and Husher, K.—“Major Coke-Oven Repairs with Throughwall Replacements at U. S. Steel,” Jan., p 29

U

- Ubici, E., Borda, M., Klemplow, A. and Piñeyro, J.—“Identification and Countermeasures to Resolve Hot Strip Mill Chatter,” June, p 48

V

- van Laar, R., van Stein Callenfels, E. and Dzermejko, A. J.—“Integrated Blast Furnace Cooling Systems—Performance, Selection and Applications Criteria,” Jan., p 63
- van Stein Callenfels, E., Dzermejko, A. J. and van Laar, R.—“Integrated Blast Furnace Cooling Systems—Performance, Selection and Applications Criteria,” Jan., p 63
- Vasel Jr., R. J.—“Development of a Springless Exclusion Seal for the Primary Metals Industry,” Sept., p 49
- Vizoso, J., Bonelo, J. M., Gallardo, R. M., Yamaguchi, N., Tsugeno, M. and Sato, S.—“New Process Control System for the Sendzimir Reversing Cold Mill of Acerinox,” Nov./Dec., p 45
- Vucetich, L. W., Ghelardi, G., Bordignon, P., Bacigalupo, C. and Gallandt, C.—“New IGCT Neutral-Point-Clamped Adjustable Speed Drives for High Power and Medium Voltage Industrial Applications,” July/Aug., p 56

W

- Weiss, J., Preissl, H., Juza, P., Lodin, B., Klønborg-Laustsen, T. and Kjaer, A.—“Slab Caster Automation Upgrade at Dansteel, Denmark,” Oct., p 46
- Wilson, E., Bennett, J. P., Kwong, K.-S., Krabbe, R., Singh, J. P., Skaar, E. C., Wiskochil, D. and Karr, C. L.—“An Overview of the U.S. Dept. of Energy Program to Recycle/Reuse Spent EAF Refractories,” Sept., p 41
- Winters, W., Lisiecki, E. R. and Boyd, B.—“PVDF Headers, Nozzles and Components Increase Pickling Line Productivity,” Nov./Dec., p 34
- Wirthl, E., König, W. T., Kraml, G. and Angerer, R.—“New Quick and Nondestructive Method for Measuring the Amount of Iron Fines on Cold Rolled Low-Carbon Steel,” Nov./Dec., p 40
- Wiskochil, D., Karr, C. L., Wilson, E., Bennett, J. P., Kwong, K.-S., Krabbe, R., Singh, J. P. and Skaar, E. C.—“An Overview of the U.S. Dept. of Energy Program to Recycle/Reuse Spent EAF Refractories,” Sept., p 41
- Wolf, G., Mueller, H., Herrmann, H., Oellinger, H. and Schoellhammer, H.—“Conversion of the Donawitz Works to a Compact Steelmaking Plant,” July/Aug., p 51
- Woodrow, T. W.—“Practical Solutions for Optimizing Steel Mill Wastewater Treatment Plants,” Sept., p 46

XYZ

- Yamaguchi, N., Tsugeno, M., Sato, S., Vizoso, J., Bonelo, J. M. and Gallardo, R. M.—“New Process Control System for the Sendzimir Reversing Cold Mill of Acerinox,” Nov./Dec., p 45
- Youmans, C. T., Stackhouse, B. D. and Storm, L. P.—“Change in Reline Strategy for L Blast Furnace,” Jan., p 46
- Zouhar, G., Löffler, H.-U., Döll, R., Poppe, T., Sörgel, G. and Holtheuer, U.—“Control of Mechanical Properties by Monitoring Microstructure,” June, p 44 ▲